

Please return to: info@fluidsystems.org		 ...wenn die Pumpe ausfällt!	
Alternatively send by fax to: 0049 361/55071519			
For transport close all openings with plugs or blind flanges			
Declaration about contamination by dangerous media			
Company name			
Product:	Type of pump:		
	Serial N of pump		
Pump has been contaminated by 7 in contact with dangerous media defined in GefSoff & 3			
O Yes:		O No, Media:	
If answer is yes continue		If answer is no indicate medium	
1. Medium/mixture of media inside or outside of equipment which can danger/hazards			
Pumped medium + CAS-Nr:			
Cosistency	☐ Liquid	☐ Dust/Solid	☐ Gas/Vapour
Other dangerous media inside or outside equipment	☐ No	Indicate medium:	
	☐ Yes	Indicate medium:	
2. Information about hazards and safty measures			
Mark field if R- or H-set is applicable			
Physical-chemical hazards (Easily flammable - flammable - fire supporting)			
	H223 H226 H272 H242 H225 H 220 H221 H222 H223 H228		
Health hazards (Caustic and/or poiseoneous)			
	H301 H311 H314 H318 H331 H340 H350 H360 H370 H372		
Health hazards (fetching and unhealthy)			
	H302 H304 H312 H315 H317 H319 H332 H334 H335 H400 H410 H412 H413 H351 H361 H371 H373 H411		
Other hazards H-sets:		Please indicate the corresponding H-sets	
Material for working gloves resistant against dangerous media (Minimum thickness 0,3 mm)			
☐ Fuor Cautchuc	☐ Nitril Cautchuc	☐ Neopren	
☐ Butyl Cautchuc	☐ PVC	☐ PE-Laminate	
Maximum usabillity of gloves after exposure to media			Minutes:
Additional advices and measures			
3. Contact person for additional information on media/ Name/Telephone N /e-mail			
4. Degree of contamination ☐ Small amount of remaining contaminant < 1 liter or larger ☐			
Pump has been totally emptied and rinsed		Yes: ☐	No: ☐
We hereby declare that all information has been made according to the best of our knowledge			
All of the information has been extracted from the relevat safty data sheets			
Date - Company Stamp - Signature (Also in printed letters)			
When the work equipment in EX - operated area?		Yes: ☐	No: ☐
Date / Company stamp / signature (legible!)			